

Analytic Models for the Simultaneous Inflation and Extension of a Polymeric Tube

Fabrice Schmidt, Jean-François Agassant, Michel Bellet

▶ To cite this version:

Fabrice Schmidt, Jean-François Agassant, Michel Bellet. Analytic Models for the Simultaneous Inflation and Extension of a Polymeric Tube. 12th International Conference of Polymer Processing Society, May 1996, Sorrentp, Italy. hal-02053487

HAL Id: hal-02053487 https://imt-mines-albi.hal.science/hal-02053487

Submitted on 13 Mar 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

ANALYTICAL MODELS FOR THE SIMULTANEOUS INFLATION AND EXTENSION OF A POLYMERIC TUBE

F. M. SCHMIDT¹, J. F. AGASSANT², M. BELLET²

Elongation flows occur in many industrial processing operations and particulary in the injection stretch/blow molding process of P.E.T. bottles (1). In a previous paper (2), numerical simulations of this process were presented using the finite element method in the case of Oldroyd B constitutive equations. In addition, the capability of setting up analytic models for the inflation and extension of a viscoelastic tube is of prime interest. The development of such analytical models allows us to validate finite element simulations, to demonstrate the influence of the process and rheological parameters, and to compare the solutions calculated using a volumic approach and the thin shell assumption.

The simplified geometry of stretch/blown bottles is presented in fig. 1. There is a perfect sliding contact between the tube and the two planes which means that the part will always remain a tube. A constant elongation velocity v_0 is prescribed on the lower plane and the upper one has no displacement in the vertical direction. A differential inflation pressure ΔP is applied to the inner surface of the tube. The tube is assumed sufficiently long so that end effects may be neglected.




Fig. 1: Simultaneous inflation and extension of a tube

The simplest integral model that integrates both viscous and elastic phenomenon is Lodge's model (3), which is mathematically equivalent to Maxwell's differential model. Using a volumic approach, this model permits only a "quasi-analytical" solution for the inner radius R(t). Fig. 2 shows that the agreement is particulary fair between finite

¹ ECOLE DES MINES d'ALBI, Campus universitaire Jarlard, Route de Teillet, 81013 ALBI CT CEDEX 09 (FRANCE)

² ECOLE DES MINES de Paris, CEMEF-URA CNRS n° 1374, 06904 Sophia-Antipolis (FRANCE)

element simulation and "quasi-analytical" computed adimentionnal radii, this for three values of elongation velocity v_0 .




Fig. 2: Dimensionless radii as a function of time $(v_0 = 0.4 \text{ m/s} - 1:\underline{A}\text{nalytical }\underline{S}\text{olution}; 2:\underline{C}\text{omputed}); (v_0=0.8 \text{ m/s} - 3:A.S.; 4:C.)$ $(v_0=1.2 \text{ m/s} - 5:A.S.; 6:C.)$

In fig. 3 the adimensionnal radius is plotted for different values of the relaxation time λ . Note that for high values of λ , the kinematic of blowing is no more influenced. Further results have been obtained with thin shell assumption which allows to elaborate an analytical solution.




Fig. 3: Dimensionless radius as a function of time

REFERENCES

- (1) Rosato D. V., Blow Molding Handbook, Ed. Carl Hauser, New-York, 1989
- (2) F. M. Schmidt, J. F. Agassant, M. Bellet and L. Desoutter, "Viscoelastic Simulation of P.E.T Stretch/Blow Molding", accepted in J. of Non-New. Fluid Mech., December 1995
- (3) Lodge A. S., Elastic Liquids, Academic Press, New York, 1964